



PEEPS

HEALTH POLICY

**PLEASE DO NOT
BRING YOUR
CHILD INTO ANY
OF THE PEEPS
ROOMS IF THEY
HAVE ANY OF
THE FOLLOWING
SYMPTOMS.**

Your child needs to . . .

Be fever-free **without the use** of medication for 24 hours.

Be free from Vomiting - Diarrhea - Chills - Persistent Runny Nose, Cough, or Sore Throat.

Be free from any illness for which a doctor has prescribed antibiotics: **Your Child must be on the antibiotics for 24 hours before entering.**

Be free from any rash of unknown origin, or that causes the child too much discomfort.

Free from pink eye or other eye infection.

Be free from symptoms of childhood Diseases/Viruses such as and not limited to: Chickenpox, Croup, Strep Throat, Flu, ETC.

Wait 48 hours after receiving any shot or vaccination.

**FOLLOWING THESE
POLICIES HELPS
TO ENSURE THE
HEALTH OF ALL OF
THE CHILDREN IN THE
ROOMS AND THOSE
WHO CARE FOR THEM.**



What to do about Lice?

How to detect lice? Look for visible signs of repeated head scratching.

How to check for lice? Examine the area behind the ears and at the nape of their neck.

What to do in case the lice have been detected? Stay calm and get a nit comb, specialized shampoo that will kill and flush away the adult lice. Then it is necessary to take a very fine comb (nit comb), and remove the nits (eggs). The eggs are very small, clear, and glued to the hair shaft, often very close to the scalp. The child should sit leaning over a towel, while the hair is meticulously parted and combed, strand by strand until all nits are gone.

The child's hair should be checked and combed with a nit comb every two or three days for a few weeks to make sure there are no more lice.

How to keep your cool? Pretty much everyone finds lice to be creepy and gross. Understand that they aren't dirty and don't carry disease. They are nothing more than a pest that takes a bit more effort than most to get rid of. No one is going to get hurt.

Head lice are not a health hazard or a sign of poor hygiene.

How to disinfect the area? Vacuum the floor and furniture. Head lice survive less than 1-2 days if they fall off a person and cannot feed; nits cannot hatch and usually die within a week if they are not kept close to the human scalp. All blankets, sheets, etc. should be laundered as usual and dried in the dryer.





If you have any questions or would like to talk to someone about our policy,
please email peeps@peopleschurch.co